

9  
9  
9  
5  
2  
1  
AD 7

AFCRL-70-0529

EXPERIENCES WITH BALLOON-BORNE TELESCOPES

Alvin H. Howell

Tufts University  
Department of Electrical Engineering  
Medford, Massachusetts 02155

Contract F19628-69-C-0167

Project No. 8602

Task No. 860205

Work Unit No. 86020501

FINAL REPORT

Period Covered: 1 February 1969 through 31 January 1970

21 September 1970

Contract Monitor: John W. Salisbury  
Space Physics Laboratory



This document has been approved for public release and sale; its distribution is unlimited.

Prepared  
for

AIR FORCE CAMBRIDGE RESEARCH LABORATORIES  
AIR FORCE SYSTEMS COMMAND  
UNITED STATES AIR FORCE  
BEDFORD, MASSACHUSETTS 01730

AFCRL-70-0529

EXPERIENCES WITH BALLOON-BORNE TELESCOPES

Alvin H. Howell

Tufts University  
Department of Electrical Engineering  
Medford, Massachusetts 02155

Contract F19628-69-C-0167

Project No. 8602

Task No. 860205

Work Unit No. 86020501

FINAL REPORT

Period Covered: 1 February 1969 through 31 January 1970

21 September 1970

Contract Monitor: John W. Salisbury  
Space Physics Laboratory

This document has been approved for public  
release and sale; its distribution is unlimited.

Prepared  
for

AIR FORCE CAMBRIDGE RESEARCH LABORATORIES  
AIR FORCE SYSTEMS COMMAND  
UNITED STATES AIR FORCE  
BEDFORD, MASSACHUSETTS 01730

#### **ABSTRACT**

The 24-inch telescope that had been designed and nearly completed under the preceding contract, AF 19(628)-4958, was finished and used in four balloon flights. A number of improvements were incorporated in the system as the flight program developed. A major effort was also applied toward the design and initial fabrication of a new balloon-borne telescope of 50-inch size.

## I. DISCUSSION OF CONTRACT ACTIVITIES

Work under this contract was directed primarily toward improving and using the 24-inch telescope that had been designed and nearly completed under the preceding contract, AF 19(628)-4958, and the design of a balloon-borne telescope of 50-inch size. Effort was also applied toward a number of field problems concerned with system safety and with the development of a means for rather quickly lowering balloons to altitudes around 70,000 feet prior to terminating the flight.

Four flights of the 24-inch telescope were made during the period 1 February 1969 through 31 January 1970. Results of these are detailed in the status reports. The reports also indicate the major modifications that have been made to the system during the flight program, and the reasons for making them. One principal change concerned the introduction of preregulators on all voltage supplies to eliminate the need for "despiking" the nickle-silver type batteries whose initial voltage starts 25% above normal and does not reach a rated plateau until 15-20% of the battery energy has been used. Withdrawing this amount of energy prior to flight not only decreases the available battery supply, but does not completely solve the problem because the voltage of a despiked battery climbs while standing so the battery exhibits high voltage for a very brief period; this may endanger electronic components when the system is first turned on. A second major change in the system was the change in ballast material from the conventional steel dust to fine-grain lead shot. This switch eliminated two troublesome problems. Most important was that steel ballast particles collected on the mirror surface during parachute descent and caused rust spots that were very difficult to remove from the silver surface without degrading the surface itself. During descent the steel dust also collected on magnetic devices, particularly motors, and made clean-up unnecessarily difficult. The handy magnetic valves that had been used for dispensing the steel dust had to be replaced by a control mechanism that necessarily involved moving parts. A design was produced that was jam-proof and which allowed positive control with a very small amount of power.

A great deal of effort was applied to the multitude of problems associated with designing a balloon-borne telescope of 50-inch size. During the life of the contract the plans for the guidance system were fully worked out and no were the problems of supporting a large, thin, metal mirror. Procurement of many of the items necessary for fabricating the new telescope was accomplished,

and some parts were manufactured.

II. LIST OF CONTRIBUTORS

Alvin H. Howell

Denis W. Fermental

Gerhard E. Junginger

Clifford W. Berglund

Philip M. Dussault

III. RELATED CONTRACTS AND PUBLICATIONS

This contract was a follow-on of contract AF 19(628)-4958, but there are no other related contracts or publications.

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Tufts University Department of Electrical Engineering Medford, Massachusetts 02155		2a. REPORT SECURITY CLASSIFICATION Unclassified
		2b. GROUP
3. REPORT TITLE  EXPERIENCES WITH BALLOON-BORNE TELESCOPES		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Scientific Final 1 February 1969 - 31 January 1970		Approved 6 October 1970
5. AUTHOR(S) (First name, middle initial, last name)  Alvin H. Howell		
6. REPORT DATE 21 September 1970	7a. TOTAL NO. OF PAGES 6	7b. NO. OF REFS --
8a. CONTRACT OR GRANT NO. F19628-69-C-0167	9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT <del>NO.</del> Task, Work Unit No. 8602-05-01	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) AFCRL-70-0529	
c. DoD Element 61102F		
d. DoD Subelement 681311		
10. DISTRIBUTION STATEMENT  This document has been approved for public release and sale; its distribution is unlimited.		
11. SUPPLEMENTARY NOTES TECH, OTHER	12. SPONSORING MILITARY ACTIVITY Air Force Cambridge Research Laboratories (PHL) L. G. Hanscom Field Bedford, Massachusetts 01730	
13. ABSTRACT  The 24-inch telescope that had been designed and nearly completed under the preceding contract, AF 19(628)-4958, was finished and used in four balloon flights. A number of improvements were incorporated in the system as the flight program developed. A major effort was also applied toward the design and initial fabrication of a new balloon-borne telescope of 50-inch size.		

DD FORM 1 NOV 68 1473

Unclassified

Security Classification

Security Classification

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT

Security Classification

Security Classification

**DOCUMENT CONTROL DATA - R & D**

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION
		2b. GROUP
3. REPORT TITLE		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (First name, middle initial, last name)		
6. REPORT DATE		7a. TOTAL NO. OF PAGES
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S)
b. PROJECT NO.		
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)
d.		
10. DISTRIBUTION STATEMENT		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY
13. ABSTRACT		

DD FORM 1473  
1 NOV 68

Security Classification

Unclassified  
Security Classification

14  KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
24-inch telescope						
preregulators						
steel dust						
lead shot						
despiking						

Unclassified  
Security Classification